

**COMPTON WATER ASSOCIATION**  
Monthly Meeting Minutes  
Held at Compton School, Compton Arkansas  
October 22, 2014 - 7:00 P. M.

Mitch Jones called meeting of October 22, 2014 to order and asked for a quorum from Roger Jones. Present were John Henderson, Mitch Jones, Roger Jones, quorum established. Quorum established.

**REPORTS:**

**MINUTES:** Minutes from September 9, 2014 meeting read by Veronica Oitker. Motion was made by Roger Jones to accept minutes, second by John Henderson.

**DIRECTORS REPORT:**

**WATER OPERATOR REPORT:** None

**BOOKKEEPER REPORT:** Submitted P & L and Balance Sheet

**UNFINISHED BUSINESS:**


**NEW BUSINESS:**

1. Roger Jones made motion to accept Clint Wilt as a Board Member through December 2014. Second by John Henderson, motion carries.
2. Ballot going out in November billing, and new officers will be put in office in January 2015.


**REQUEST TO BE ON AGENDA**

Karl Lehr asked to be on Agenda, Mr. Lehr indicated his past experience on other Boards and spoke about the Constitution and statutes that are beneath the Constitution which can't be changed to correct the Constitution, He noticed at CWA that as an example, you can't change the 9 member Board requirement in the By Laws with a simple motion to override a superior document like Articles of Incorporation or the Constitution. Roger Jones asked Mr. Lehr what should happen should you not be able to get 9 members, should you just disban, to that Mr. Lehr responded, no you carry on with your best efforts, to which Mr. Jones said, that is exactly what we are doing. Mr. Lehr pointed out the By Laws can't override the Articles of Incorporation, therefore 9 members are necessary to Compton Water.

Roger Jones made motion to adjourn, John Henderson seconded, all in favor, motion carries.

  
\_\_\_\_\_  
Mitch Jones, President

October 22, 2014

  
\_\_\_\_\_  
Roger Jones, Treasurer

October 22, 2014

# Water Operator Report

12/9/14

9/3/2014	leak det system wide
9/4/2014	leak det. Erbie rd/mowing/move truck
9/5/2014	fix leak C. Clark
9/6/2014	leak det erbie rd., plumlee, 43, 103
9/7/2014	leak det. Walking
9/8/2014	leak det bradshaw mt rd
9/8/2014	fix leak N. Campbell
9/10/2014	restart comp
9/11/2014	fixed light on truck
9/12/2014	change oil in truck/cleaned interior
9/13/2014	tank overflow ftr
9/13/2014	run pump fill 43 tank
9/13/2014	run pump fill 43 tank
9/15/2014	run pump fill 43 tank
9/15/2014	connect lynn wolfe
9/15/2014	tank overflow ftr 3 am
9/16/2014	monthly samples
9/17/2014	run pump 43 tank/fixed leaking meter/ read Logan Riley meter.pov
9/18/2014	run pump 43 tank
9/20/2014	unlock Bob Brisco
9/23/2014	locate Godwin
9/24/2014	samples-elkhorn
10/1/2014	leak det w nelson pov
10/2/2014	disconnect seq. 955/ samples
10/9/2014	Discon. Madle-recon. Beaver- chk M. Villines
10/15/2014	samples elkhorn.pov
10/16/2014	locate b-shaw mt/ ranch one- restart comp.-pov
10/20/2014	read meters/ flush D. Gibbons- 3000
10/24/2014	check JW Hudson-L. Robinson meter
10/27/2014	leak det. Bradshaw
10/30/2014	ftr tank oil/ replace oil valve pov
11/3/2014	locate-Dustin Davidson- replace D. Robinson2
11/5/2014	monthly samples
11/10/2014	thaw ftr control/ pov
11/14/2014	prog. truck gps/ chk ftr tank control
11/19/2014	leak det 43, armer rd, erbie rd
11/21/2014	Travis Huber tap/ meter reading cleanup/GPS mapping
11/22/2014	meter reading cleanup/GPS mapping
11/25/2014	leak det/ 43
11/29/2014	leak Jasper Bartlett
12/3/2014	Boil order samples
12/4/2014	Boil order samples
12/6/2014	leak det. 43/ F wolfe
12/9/2014	Mt. Sprngs Church loc./ Rivers Wilson chk/ Steve Maksymiak leak det
12/09/14	install brakes on truck

**Compton Water Association, Inc.**  
**Balance Sheet**  
As of November 30, 2014

	Nov 30, 14
<b>ASSETS</b>	
<b>Current Assets</b>	
<b>Checking/Savings</b>	
Firetower Rehab Tank Project	50.00
CFB 72245 Depreciation Checking	7,014.64
CFB 8350 Checking	38,077.88
CFB 72187 Meter Dep Checking	10,177.31
CFB 72161 Loan Res. Checking	13,419.30
<b>Total Checking/Savings</b>	68,739.13
<b>Total Current Assets</b>	68,739.13
<b>TOTAL ASSETS</b>	<b>68,739.13</b>
<b>LIABILITIES &amp; EQUITY</b>	
<b>Liabilities</b>	
<b>Current Liabilities</b>	
<b>Other Current Liabilities</b>	
CWA Fire Tower Tank 2013	108,000.00
Water Meter Acct Deposit	11,435.00
<b>Total Other Current Liabilities</b>	119,435.00
<b>Total Current Liabilities</b>	119,435.00
<b>Long Term Liabilities</b>	
<b>ARKANSAS NATURAL RESOURCES</b>	
Arkansas Natural Resources 1	57,493.00
Arkansas Natural Resources 2	23,175.00
<b>Total ARKANSAS NATURAL RESOURCES</b>	80,668.00
USDA Rural Development 01	42,779.93
USDA Rural Development 04	1,555.42
USDA Rural Development Loan 05	15,731.39
USDA Rural Development Debt 09	93,661.35
<b>Total Long Term Liabilities</b>	234,396.09
<b>Total Liabilities</b>	353,831.09
<b>Equity</b>	
Opening Balance Equity	-425,008.02
Unrestricted Net Assets	221,742.66
Net Income	-81,826.60
<b>Total Equity</b>	-285,091.96
<b>TOTAL LIABILITIES &amp; EQUITY</b>	<b>68,739.13</b>



Welcome COMPTON WATER ASSOCIATION INC!

Account Name (Click for Details)	Balance	Status
8350 Checking	23,046.09	Select Option
Fire Tower	50.00	Select Option
Loan Depreciation	13,344.87	Select Option
Meter Reserve	10,536.05	Select Option
Depreciation	6,940.97	Select Option

5 Deposit accounts with a total balance of 53,917.98

You last accessed your Online Banking account on Tuesday, December 9, 2014 11:35:02 AM Central Time  
 You have accessed Online Banking 242 time(s) since Friday, June 11, 2010 8:48:33 AM Central Time Reset this counter

**e-STATEMENTS**  
**ENROLL NOW**

Fast, easy, secure way to receive your statements. No paper statements to mail or file.

**CFBMobile**

Access your accounts and services on the go. Available on iPhone and Android.

Introducing  
**My NetTeller**

Available 24/7 on your mobile device. No need to visit a branch.

**Compton Water Association, Inc.**  
**Profit & Loss**  
 November 2014

	Nov 14
<b>Ordinary Income/Expense</b>	
<b>Income</b>	
<b>FEES CHARGED</b>	
Water Meter Sets	650.00
<b>Total FEES CHARGED</b>	650.00
<b>Water Revenue</b>	
Misc Fees	45.00
Penalty	348.23
Safe Water	101.58
Sales Tax	1,465.37
Water Sales	19,555.45
<b>Total Water Revenue</b>	21,515.63
<b>Total Income</b>	22,165.63
<b>Gross Profit</b>	22,165.63
<b>Expense</b>	
<b>FIRE TOWER TANK PROJECT</b>	18.36
<b>CONTRACT LABOR</b>	
Justin Robinson Meter Reader	450.00
Bobby Hudson	2,000.00
Veronica Oitker	1,300.00
<b>Total CONTRACT LABOR</b>	3,750.00
<b>Facilities and Equipment</b>	
Building Rent	37.92
<b>Total Facilities and Equipment</b>	37.92
<b>Operations</b>	
Supplies	948.96
Telephone, Telecommunications	130.68
Utilities, Electric, Gas	289.44
<b>Total Operations</b>	1,369.08
<b>S W BOONE Water</b>	8,375.69
<b>SALES TAX</b>	
Arkansas State Tax	1,298.62
Boone County	1.47
Carroll County	5.71
Madison County	69.02
Newton County	228.53
<b>Total SALES TAX</b>	1,603.35
<b>VOID CHECKS</b>	0.00
<b>Total Expense</b>	15,154.40
<b>Net Ordinary Income</b>	7,011.23
<b>Net Income</b>	7,011.23

**Compton Water Association, Inc.**  
**Profit & Loss**  
 January through November 2014

	Jan - Nov 14
<b>Ordinary Income/Expense</b>	
<b>Income</b>	
<b>FEES CHARGED</b>	
Request Information	4.78
Water Meter Sets	1,900.00
Reconnect Fees	750.00
<b>Total FEES CHARGED</b>	2,654.78
<b>Water Revenue</b>	
Misc Fees	598.32
Penalty	5,111.71
Safe Water	1,154.58
Sales Tax	17,531.89
Water Sales	232,799.26
<b>Total Water Revenue</b>	257,195.76
<b>Total Income</b>	259,850.54
<b>Gross Profit</b>	259,850.54
<b>Expense</b>	
<b>FIRE TOWER TANK PROJECT</b>	
ESI Engineering Services	14,038.51
Leher Painting Tank	93,277.00
FIRE TOWER TANK PROJECT - Other	1,098.36
<b>Total FIRE TOWER TANK PROJECT</b>	108,413.87
<b>CONTRACT LABOR</b>	
Justin Robinson Meter Reader	1,350.00
Bill Lonadier Contract Labor	169.00
Van Warren Backhoe	100.00
Wayne Hartlerode Water Operator	10,950.00
Wayne Hartlerode Backhoe	1,372.50
Bob Bartlett	2,962.50
Bobby Hudson	12,900.00
Tom Gandy	2,250.00
Veronica Oitker	14,300.00
<b>Total CONTRACT LABOR</b>	46,354.00
<b>Contract Services</b>	
Accounting Fees	400.00
Arkansas Dept of Health	891.00
Arkansas One Call	136.80
Legal Fees	1,036.69
Outside Contract Services	1,900.00
<b>Total Contract Services</b>	4,364.49
<b>EQUIPMENT</b>	
Equipment Purchase	13.82
Misc. Equip for Repairs	608.00
Leak Repairs	4,368.71
Other Repairs	78.95
<b>Total EQUIPMENT</b>	5,069.48
<b>Facilities and Equipment</b>	
Building Rent	417.12
Storage Unit	150.00
Truck Expense	56.42
<b>Total Facilities and Equipment</b>	623.54
<b>Interest Expense</b>	3,435.00
<b>Operations</b>	
Advertising	2.95
Books, Subscriptions, Reference	725.00
Postage, Mailing Service	1,549.48
Supplies	1,571.53

1:10 PM  
12/09/14  
Accrual Basis

**Compton Water Association, Inc.**  
**Profit & Loss**  
**January through November 2014**

	<u>Jan - Nov 14</u>
Telephone, Telecommunications	1,506.26
Utilities, Electric, Gas	4,245.94
Water Works Computer Program	155.20
<b>Total Operations</b>	<u>9,756.36</u>
<b>Other Types of Expenses</b>	
Gifts	-150.00
Insurance Hartford Workmans Com	1,468.00
Dues	30.00
Insurance - Liability, D and O	264.25
<b>Total Other Types of Expenses</b>	<u>1,612.25</u>
<b>S W BOONE Water</b>	136,099.14
<b>SALES TAX</b>	
Arkansas State Tax	14,739.62
Boone County	12.96
Carroll County	67.54
Madison County	811.59
Newton County	2,543.15
<b>Total SALES TAX</b>	<u>18,174.86</u>
<b>VEHICLE</b>	
Fuel	4,120.56
Insurance	1,502.50
Maintenance	2,151.09
<b>Total VEHICLE</b>	<u>7,774.15</u>
<b>VOID CHECKS</b>	0.00
<b>Total Expense</b>	<u>341,677.14</u>
<b>Net Ordinary Income</b>	<u>-81,826.60</u>
<b>Net Income</b>	<u><u>-81,826.60</u></u>

**DISTRIBUTION EFFICIENCY SUMMARY**

	Gallons	Percent
Water Supplied to System	1,413,320	100.0%
Water Sold to Customers	1,206,000	85.3%
Utility Use (fire, flushing)	1,000	0.1%
Water Lost	206,320	14.6%
Average Use Per Account	3,903	
Accounts Using Water	309	

**SUMMARY BY SERVICE**

	Water	Sewer	Trash	Other1	Other2	Other3	Sales Tax
Charges	20,386.50	0.00	0.00	101.70	45.00	0.00	1,531.86
Count	339	0	0	339	45	0	338
Average	60.14	0.00	0.00	0.30	1.00	0.00	4.53


**ACCOUNTS RECEIVABLE ANALYSIS**

Balance Due on October 2014 Bills	31,030.64	350
Credit Balances	-145.11	4
Debit Balances	31,175.75	346
Payments	-23,857.44	319
Adjustments	-88.98	3
Balance after Payments and Adj	7,084.22	52
Current	2,846.89	24
30 to 60 Days Old	1,406.18	12
60 to 90 Days Old	314.52	6
Over 90 Days Old	2,516.63	10
Penalty Charges	515.41	71
Charges for Services	22,065.06	339
Balance Due	30,014.80	



**Compton Water Association, Inc.**

**From:** "Secure Arkansas" <actionalerts@securearkansas.com>  
**Date:** Monday, December 08, 2014 11:08 PM  
**To:** "John Berry" <comptonwater@gmail.com>  
**Subject:** Resolution to Repeal Act 197



To our Water Districts Boards and City Boards,

Secure Arkansas / Secure The Republic has been campaigning for clean, safe water for many years. We've posted articles to our [Secure Arkansas website](#) many times about the harmful water additive fluoride, and we opposed Act 197 (the water fluoridation mandate) in Arkansas in 2011. Most of you have heard that fluoride in our drinking water is healthy, but modern science proves otherwise. Also important is the freedom to choose what we consume, and Act 197 takes away **local** control of this critical health issue.

We have a window of opportunity to address the problem of mandated water fluoridation, and the time to act is NOW!

**PLEASE try to get this Resolution introduced in your water district board or city board THIS MONTH or in January, and get it passed! It's important that this is addressed before the end of 2014, preferably in December.** Let's start a new year with safe, clean, environmentally-friendly, potable water. The resolution is a 4-page PDF document that you'll want to print off. For your peers that DO NOT have email addresses, please see that they get a copy of this resolution.

It's vital to keep us posted about what is happening in your city or water board regarding this issue. Secure Arkansas is available for any help that you might need. Just send us an email: [SecureArkansas@gmail.com](mailto:SecureArkansas@gmail.com). Forward this email to everyone you know in Arkansas. The resolution needs to be adopted in all 75 counties. With minor changes, this resolution may be adopted in the other U.S. states and territories.

Also important are the **links** to supporting documents and references shown below. The first two documents are CRITICAL for your understanding. The third document offers additional information. Further documentation is available upon request. It's all documented; just ask! Send us an email at [SecureArkansas@gmail.com](mailto:SecureArkansas@gmail.com).

1. [\\*Review of the 2006 United States National Research Council Report: Fluoride in Drinking Water - Relevance to Water Fluoridation](#) (10 page PDF document)
2. [\\*The Lancet Neurology](#) - March 2014 - Neurobehavioral effects of developmental toxicity (scroll up to read this document after it loads in your browser)
3. [Harvard research](#) - Impact of fluoride on neurological development in children
4. [Poisoned horses](#) - Published study of fluoride poisoning of horses from artificially fluoridated drinking water (8 page document)
5. [Basel Convention](#) - on the control of transboundary movements of hazardous wastes and their disposal (126 page document)

Keep us informed! Get us a copy of your signed resolution.

Thanks for your help with this!

Securing the blessings of liberty,

12/9/2014

Secure Arkansas  
[securetherepublic.com/arkansas](http://securetherepublic.com/arkansas)  
[info@securetherepublic.com](mailto:info@securetherepublic.com)

---

©Secure Arkansas. All Rights Reserved | <http://securetherepublic.com/arkansas>

[View web version](#)

**Disclaimer:**

Legal Advice is Not Provided

The material in our emails/alerts and on our websites is only intended to provide general information and comment to the public. We make an effort to ensure that the information found in our emails/alerts and on our websites is accurate and timely, but we can't and don't guarantee that. Nor do we guarantee the accuracy or timeliness of any information contained on websites to which our websites or emails provide links.

Information found in our emails/alerts and on our websites should not be taken as legal advice. Legal matters can be complicated. For assistance with a specific legal problem or question, please contact a knowledgeable lawyer for assistance.

---

12/9/2014

RESOLUTION 2014 - \_\_\_\_\_

Be it resolved by the \_\_\_\_\_ of \_\_\_\_\_ County,  
State of Arkansas,  
a resolution

Entitled:

A RESOLUTION REPEALING ACT 197, THE MANDATE OF ADDING FLUORIDE TO THE  
PUBLIC WATER SYSTEMS

**WHEREAS**, water fluoridation is defined as the addition of industrial-grade fluoride chemicals, typically hydrofluorosilicic acid or sodium silicofluoride, to the water supply to treat dental caries; and

**WHEREAS**, the responsibility of Arkansas water systems is to make water more potable, not to add a toxic chemical substance which will negatively affect the bodily functions of the water consumer, all for the questionable benefit of preventing tooth decay; and

**WHEREAS**, in 1999, the U.S. Centers for Disease Control (CDC), the number one promoter of fluoridation, conceded that the predominant benefit of fluoride is topical, not systemic, meaning that, in preventing tooth decay, fluoride works best on the outside of the teeth, not from inside the body; and

**WHEREAS**, fluoridation of the public water supply takes away a person's choice regarding the consumption of an unregulated medication that has never been U.S. Food and Drug Administration (FDA) approved, requiring anyone who wants fluoride-free water to buy expensive reverse osmosis or distillation equipment, plus monthly filter replacement costs, and it increases water usage during the filtration system process and/or costs of purchasing non-fluoridated bottled water; and

**WHEREAS**, fluoridation of the public water supply represents a serious long-term threat to public health, and according to the 2006 National Research Council (NRC) report, significant studies have NOT been done to rule out the true harm being done to humans; and

**WHEREAS**, the US EPA Headquarters Union and scientists, physicians, dentists, and researchers worldwide state that artificial water fluoridation is not effective in the prevention of cavities and is not safe to vulnerable populations, as demonstrated in the U.S. National Research Council 2006 Review; and

**WHEREAS**, the fluorosilicic acid which is proposed as the water additive is not the pharmaceutical grade product used in dental offices, which is recommended not to swallow, but is derived from scrubbers atop smokestacks at super phosphate plants that trap and collect the toxic air pollution which also contains cancerous arsenic, lead, radon, mercury, cadmium, radioactive materials, and other hazardous contaminants that would be ingested by residents or released into the environment with the treated water; and purchasing the actual chemical product has now been outsourced mostly from China, with no safety tests or contaminant levels tested after it arrives in the USA; and

**WHEREAS**, in October 2012, a Harvard research team published a meta-analysis of 27 studies investigating fluoride exposure and IQ in children ("Developmental Fluoride Neurotoxicity: A Systematic Review and Meta-Analysis" by Choi, et al.), that found a

lowering of the IQ of children in 26 of the 27 studies, by an average of 7 IQ points, at fluoride levels, in some cases, only slightly above levels used in U.S. fluoridation levels, leaving no margin of safety to protect all American children from this serious damage; and

**WHEREAS**, publication in the March 2014 *Lancet Neurology* states that Neurodevelopmental disabilities including autism, attention-deficit hyperactivity disorder, dyslexia, and other cognitive impairments are affecting millions of children worldwide; since 2006, epidemiological studies have documented six additional developmental neurotoxins which include fluoride; and

**WHEREAS**, the CDC has recommended that non-fluoridated water be used for infant formula to avoid dental fluorosis, permanent white marks on teeth caused by drinking fluoridated water while teeth are forming, the cosmetic repair of which creates an economic hardship for large numbers of families, minority and otherwise; and

**WHEREAS**, exposing infants, children, the elderly, and adults to unregulated and indiscriminate doses of medications without prescriptions or informed consent and without considering each individual's age, body weight, or medical conditions is irresponsible and unethical; the dose of fluoride, not the concentration, added to the water by the water operators, is what should be considered; and

**WHEREAS**, according to new scientific studies reported by Mario Garrett, PhD and *Psychology Today*, there are strong correlations between dementia, i.e., Alzheimer's disease, et.al., AND oral consumption of fluoride. This is because of the much increased delivery of aluminum across the blood-brain barrier when fluoride is ALSO present. These findings are consistent in both human and animal studies; and

**WHEREAS**, water fluoridation should be considered malpractice because it is the only medication delivered via the public water supply, with widely varying doses per person depending on a person's water consumption; and

**WHEREAS**, the impacts of fluoridation differ widely, depending on age and health, and both the Centers for Disease Control (CDC) and the American Dental Association (ADA) suggest that parents of babies under 6 months avoid using fluoridated tap water when mixing baby formula; and

**WHEREAS**, CDC has admitted and studies have found that in fluoridated communities, African-American and Latino children are at greater risk for dental fluorosis (discolored teeth from damaged tooth enamel caused by fluoride exposure); and

**WHEREAS**, fluoridation discriminates and does not address the Americans with Disabilities Act, and even patients' bill of rights laws take into consideration that a person should not be forced into any medical treatment or taking any drugs that a patient felt would do harm to their body; and the history of the right to refuse medical treatment in the USA has been determined by two major judicial opinions: *Union Pacific Railway Co. v. Botsford*, 141 U.S. 250, 251 and *Schloendorff v. Society of New York Hospital*, 105 N.E. 92, 93; and

**WHEREAS**, fluoridation depresses thyroid activity and promotes premature aging of the human body; and

**WHEREAS**, dialysis patients are warned not to drink fluoridated tap water, as are many

diabetics; recently-revealed FOIA documents from conversations between CDC and the ADA show that they have known for some time that water fluoridation harms kidney patients; normal adults are able to secrete about 50% of fluoride taken into the body, but kidney patients are not able to filter fluoride from their bodies like a person that has normal functioning kidneys; and

**WHEREAS**, the International Basel Convention (of which the United States is signatory), Environment Canada and the U.S. Environmental Protection Agency (US EPA) all state that the chemicals used in artificial water fluoridation are hazardous waste which must not be put directly into lakes, rivers, and oceans; and

**WHEREAS**, sewage treatment plants pass 98% of the fluoridated water that is not used for human consumption into the water table where it builds up in the exoskeletons of insects that fish eat; toxic to fish and the environment at levels of 0.2 ppm (water would be fluoridated at 0.7 to 1 ppm); and

**WHEREAS**, water systems not only provide water for humans but also for farm animals; fluoride has been proven to cause the following health issues to horses and can affect most other farm animals: Colic, cancer, skeletal problems, osteoporosis, muscles and ligaments hardening, skin allergy, reproductive problems, deformed fetuses, abortions, thyroid problems, abscesses, head shaking, neurological problems, hormone problems, malocclusion of teeth, dental fluorosis, gum recession, teeth chipping and breaking, kidney problems, equine metabolic syndrome, laminitis, malformation of hooves, Cushing's disease, chronic coughing and lung problems, bone spurs, arthritis, and heart attacks; and

**WHEREAS**, artificial water fluoridation chemicals contain between 20% to 30% hydrofluorosilicic acid (inorganic fluoride), containing trace amounts of arsenic, lead, mercury, radionuclides, and other heavy metals, all considered to be toxic substances in the U.S. under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) Priority List of Hazardous Substances, and concerns about contaminants that can include arsenic, lead, aluminum and barium increased with the publication of a study in the International Journal of Occupation and Environmental Health which found the amount of toxic contamination in hydrofluorosilicic acid and sodium fluoride varied greatly. **Such contaminant content creates a regulatory blind spot that jeopardizes any safe use of fluoride additives**, the study said; and

**WHEREAS**, fluoridation of the public water supply causes corrosion to pipes and fluoridation injection equipment, damages the concrete floors in the fluoridation room and the building itself every several years, and requires more preventive maintenance than if fluoride was not used; water operators also have to add additional chemicals to regulate the acids in the water caused by the acidic fluoride chemical; this is part of the continuing cost of fluoridating the water; and

**WHEREAS**, Fluoride is classified as category 3 toxic hazardous poison on the Material Safety Data Sheet (MSDS) by the Federal Government; and

**WE FURTHER FIND** that the following reflects the will of the people of

\_\_\_\_\_ County:


**NOW THEREFORE BE IT RESOLVED,**

**SECTION 1:** \_\_\_\_\_ Water District respectfully calls for the Arkansas

General Assembly to repeal Act 197 which is also known as the mandatory water fluoridation plan; and that the concerns and principles herein conveyed by the duly elected local officials of the citizens of \_\_\_\_\_ County be observed and respected in consideration of any rules or memorandum of understanding and future activities regarding the guidelines for safe drinking water for everyone.

**SECTION 2:** \_\_\_\_\_ County respectfully refrains from supporting Act 197 because it represents a serious long-term threat to public health.

**SECTION 3:** This Resolution shall be in full force and effect from after its passage and approval on this date \_\_\_\_ day of \_\_\_\_\_ 2014; and \_\_\_\_\_ of \_\_\_\_\_ County is HEREBY directed to file this resolution and forward a file-marked copy to the Arkansas General Assembly.

  
\_\_\_\_\_

12-9-14  
DATE

\_\_\_\_\_  
DATE